

Important info:

- Charge your battery and keep the device plugged in
- The BIOS will be overwritten and your fingerprint and PIN will not be recognized
- You can re-enable these sign-in options later
- Be sure to remember your password



1. Download the .zip file to your Ockel Sirius A:



2. Extract the .zip file:

| ~ ^ * > ' | This PC > Downloads > | | | | ~ ಲ | Search Downloads | 16 |
|---|---|-------------------|----------------------------|----------|---------|------------------|----|
| Quick accore | □ Name | Date modified | Туре | Size | | | |
| Desktop Downloads Documents | Ockel Sirius-A BIOS 2018.04.18 | 4/23/2018 4:16 PM | Compressed (zipped) Folder | 3,505 KB | | | |
| Pictures Music Videos OneDrive | Pin to Start Scan with Windows Defender Share Open with | | | | | | |
| This PC | Give access to | | | | | | |
| Hermon | Send to | | | | | | |
| | Cut Copy | | | | | | |
| | Create shortcut Delete Rename | | | Extra | act the | .zip file | |
| | Properties | | | | | | |

3. Right-Click 'update_win.bat' and select 'Run as administrator':

| ~ 1 | > This PC > Downloads > Ockel_Sirius- | A_BIOS_20 | 18.04.18 > Ockel_Sirius-A_B | NOS_2018.04.18 | | ~ U | Search Ockel_Sirius-A_BIC | os_20 🔎 |
|---------------|---------------------------------------|------------------|-----------------------------|--------------------|----------|-------------|---------------------------|---------|
| - | □ Name | | Date modified | Туре | Size | | | |
| A Quick acces | error | | 4/23/2018 4-15 PM | Text Document | 1 KB | | | |
| E Desktop | ≠ Endi | | 4/23/2018 4:15 PM | Text Document | 10 KB | | | |
| Download | s 🛪 🔳 fotw | | 4/23/2018 4:15 PM | Application | 1 249 KB | | | |
| Document | ts 🖈 🗟 idexdll DU | | 4/23/2018 4:15 PM | Application extens | 64 KB | | | |
| E Pictures | Open | 1 | 4/23/2018 4:15 PM | Application extens | 61 KB | | | |
| Music | Edit | | 4/23/2018 4-15 PM | Application extens | 116 KB | | | |
| Nideor | Edit | | 4/23/2010 4.15 PM | Application extens | 110 KB | | | |
| VIGEOS | Print | _ | 4/23/2018 A-15 PM | RIN File | 8 102 KB | | | |
| ConeDrive | Run as administrator | | 4/23/2010 4:15 PM | Mindows Ratch Eile | 0,152 KB | | | |
| This DC | Scan with Windows Defender | | 4/23/2010 4.13 PIV | windows batch rite | 2 ND | | | |
| S This PC | 🗠 Share | | | | | | | |
| Network | Give access to | > | | | | | | |
| | Restore previous versions | | | | | | | |
| | | _ | | | | | | |
| | Send to | | | | | | | |
| | Cut | | | | | | | |
| | Сору | | | | | | | |
| | Create chartcut | _ | | | Dight (| | in hat and colo | et |
| | Create shortcut | | | | Right-C | | in.bat and sele | CL |
| | Delete | | | | | Run as admi | nistrator | |
| | Rename | | | | | | | |
| items 1 iter | Properties | | | | | | | |
| | | ACCESSION OF THE | | | | 201 1111 | | |



4. Select Yes to start updating the BIOS:

| User Account Control Do you want to allow this app to make changes to your device? | × | | |
|--|----------------------|-------------------|-------------|
| Windows Command Processor Verified publisher: Microsoft Windows Show more details | | | |
| | Select Yes to | start updating th | e BIOS |
| | | | ENG INTL |

5. You will see the progress of the update:

| C:\WINDOWS\System32\cmd.exe | - | 0 > | < |
|---|--------------------------|------------|---|
| C:\WINDOWS\system32>cd /d "C:\Users\Ockel Demo\Downloads\Ockel_Sirius-A_BIOS_2018.04.18\Ockel_Sirius-A_BIOS_2018.04.18\" | | | î |
| update BIOS | | | |
| C:\Users\Ockel Demo\Downloads\Ockel_Sirius-A_BIO5_2018.04.18\Ockel_Sirius-A_BIO5_2018.04.18>if "AMD64" == "x86" (set O5_PLATFORM OS_PLATFORM=x64) | =x86) e | else (se | |
| C:\Users\Ockel Demo\Downloads\Ockel_Sirius-A_BIOS_2018.04.18\Ockel_Sirius-A_BIOS_2018.04.18>"C:\WINDOWS\system32\cacls.exe" "C:\/ config\system" 1>nul 2>&1 | WINDOWS\s | system32 | 1 |
| C:\Users\Ockel Demo\Downloads\Ockel_Sirius-A_BIOS_2018.04.18\Ockel_Sirius-A_BIOS_2018.04.18>if 0 EQU 0 (if exist "C:\Users\OCKELD Temp\getadmin.vbs" del /q "C:\Users\OCKELD~1\AppData\Local\Temp\getadmin.vbs") else (goto :Fun_UAC_Prompt if exist "C:\Users\OCKELD~1\AppData\Local\Temp\getadmin.vbs" del /q "C:\Users\OCKELD~1\AppData\Local\Temp\getadmin.vbs") | O∼1\AppDa | ata\Loca | |
| C:\Users\Ockel Demo\Downloads\Ockel_Sirius-A_BIOS_2018.04.18\Ockel_Sirius-A_BIOS_2018.04.18>fptw -f Rom_8MB_Tablet.bin | | | |
| Intel (R) Flash Programming Tool. Version: 2.0.0.2064 Copyright (c) 2007 - 2015, Intel Corporation. All rights reserved. | | | |
| Platform: Cherry Trail Reading HSFSTS register Flash Descriptor: Valid | | | |
| Flash Devices Found W25Q64DW ID:0xEF6017 Size: 8192KB (65536Kb) | | | |
| PDR Region does not exist. | | | |
| Reading Flash [0x1999C0] 1638KB of 8192KB - 20% complete. You will see the progress of | the upo | date | |
| | | | ~ |
| 📲 🔿 Ask me anything 🖳 📮 💼 💼 💼 💼 💼 📌 🗠 📾 🧟 | (小)) 4:30 (小)) 4/23/3 | PM 2018 | |



6. When you see 'PASS', the update is successful:

| Pri Pri Pri Pri Pri Pri Pri Pri Pri Ve | WINDOW ogrammin asing Fl ogrammin asing Fl ogrammin asing Fl ogrammin rifying | /S\System32 ng Flash lash Bloc ng Flash lash Bloc ng Flash lash Bloc ng Flash Flash [0 | \cmd.exe [0x712000] k [0x771000] k [0x771000] k [0x776000] k [0x771000] [0x771000] x800000] 8 | 16KB 10] - 10 4KB 10] - 10 16KB 16KB 00] - 10 4KB 192KB 0 | of 16KB 0% complet of 4KB 0% complet 0% complet of 4KB f 8192KB - | e. e. e. e. e. e. e. 100% co | complete. complete. complete. complete. | | | | | | | | | 6 | _ | 0 | × |
|---|---|--|--|---|---|---|--|----------------------|--------------------------|----------------------|--------------|-----------------|--------|----------------|----------|---------|---------|-----------------------|---------|
| RESU | LT: The | data is | identical. | | | | | | | | | | | | | | | | |
| FPT | Operatio | on Passed | | | | | | | | | | | | | | | | | |
| C:\U oto C:\U | sers\Ock :start sers\Ock | kel Demo\ kel Demo\ | Downloads\ Downloads\ | Ockel_S | irius-A_BI irius-A_BI | 05_2018. 05_2018. | .04.18\Ocke | el_Siriu el_Siriu | IS-A_BIOS_ | _2018.04 _2018.04 | .18>if 0 NE0 | Q Ø echo ASS | "Faile | d to : | flash | the 1s | t part" | ' && | g |
| ** | * ** | * | | ** | ***** | | ****** | | | | | | | | | | | | |
| ** | ** | ** | | *** | *** | *** | * *** | | | | | | | | | | | | |
| ** | ** | ** | * * | *** | *** | *** | *** | | | | | | | | | | | | |
| ** | ** | ** | ** | *** | ** | *** | ** | | | | | | | | | | | | |
| ** | ** | ** | ** | *** | | ** | F.8. | | | | | | | | | | | | |
| ** | * ** | ** ** | ** ** | | ** | | *** | | | | | | | | | | | | |
| ** | | ** | ** | ** | *** | ** | *** | | | | | | | | | | | | |
| ** | | ** | ** | *** | *** | *** | *** | | | | | | | | | | | | |
| ** | | ** | ** | *** | *** | *** | *** | | | | | | | | | | | | |
| ** | ** | | ** | ** | ***** | ** | | | | | | | | | | | | | |
| C:\U C:\U Pres | sers\Ock sers\Ock s any ke | kel Demo\ kel Demo\ ey to con | Downloads\ Downloads\ tinue | Ockel_S Ockel_S | irius-A_BI irius-A_BI | 05_2018. 05_2018. | .04.18\Ock .04.18\Ock | el_Siriu el_Siriu | IS-A_BIOS_ IS-A_BIOS_ | _2018.04 _2018.04 | When y | ou see | PAS | S , the | e upo | date is | s succ | cessf | ul v |
| | 0 | Ask me a | inything | | | Ū. | 0 2 | - | - | | | | RR | | 1 | (i. d)) | 4:31 P | м 018 ^С | 2 |

7. Press any key to continue:

| | :\WINDOW | VS\System32\c | md.exe | | | | | | | | - 0 | × |
|--|--|---|--|--|--|---|--|---------|---|-------------------------|---------------------------|--------|
| - PI - EI - PI - EI - PI - EI - PI - VI RESI | rogrammi rasing F rogrammi rasing F rogrammi rasing F rogrammi erifying ULT: The | ng Flash [lash Block ng Flash [lash Block ng Flash [lash Block ng Flash [Øx data is i | 0x712000] [0x77100 0x771000] [0x776000] [0x776000] [0x7E1000] 800000] 8 dentical. | 16KB 0] - 10 4KB 0] - 10 16KB 0] - 10 4KB 192KB 0 | of 16KB 8% complet of 4KB 8% complet of 16KB 8% complet of 4KB f 8192KB - | - 100% e. - 100% e. - 100% e. - 100% 100% cc | complete complete complete complete | | | | | ^ |
| FPT | Operati | on Passed | | | | | | | | | | |
| C:\\ oto C:\\ | Users\Oc :start Users\Oc | kel Demo\D kel Demo\D | ownloads\ ownloads\ | Ockel_S Ockel S | irius-A_BI | OS_2018. OS 2018. | .04.18\00 | (el_Sir | us-A_BIOS_2018.04.18>if 0 NEQ 0 ech | ho "Failed to flash the | 1st part" | && g |
| | | | | | | | | | an de seu en anna tradicional de la servicio. | | | |
| ** | * ** | | | ** | ***** | | | | | | | |
| ** | · · · | | | | | | | | | | | |
| | | | | | | | | | | | | |
| ** | ** | ** | ** | .*** | | ** | ke: | | | 120 | | |
| ** | * ** | ** ** * | * ** | * | ** | | *** | | | R | | |
| ** | | ** | ** | ** | *** | ** | *** | | | | | |
| ** | | ** | ** | *** | *** | *** | *** | | | | | |
| ** | | ** | ** | *** | *** | *** | *** | | | | | |
| ** | | * | ** | ** | ***** | ** | ***** | | | | | |
| | | | | | | | | | | | | |
| C:/I | Users\0c | kel Demo∖D | ownloads\ | Ockel_S | irius-A_BI | 05_2018. | .04.18\00 | el_Sir | Pre | ess any key to conti | inue | |
| C:\I Pre: | Users\Oc ss any k | kel Demo∖D ey to cont | ownloads\ inue | Ockel_S | irius-A_BI | OS_2018. | .04.18\00 | el_Sir | us-A_BIOS_2018.0 <mark>4.18>pause</mark> | | | v |
| | 0 | Ask me an | ything | | | ₽. | | ŀ | | x ² ^ 🖮 🥼 | (小)) 4:31 PM 4/23/2018 | \Box |



8. Restart the device:



9. The device will take some time to restart. This might take a few minutes, just be patient:





10. It's not possible to log in with your fingerprint:



11. Nor with your PIN:





12. Select 'Sign-in options':



13. Use your password to sign-in:





14. Go to 'All settings':



15. Go to 'Set up fingerprint sign-in':

-

Windows Settings





16. Select 'Remove' to remove the current fingerprint:

| ŵ Home | Sign-in options | |
|--------------------------|--|---|
| Find a setting | > Windows Hello | 1 |
| Accounts R= Your info | Sign in to Windows, apps and services by teaching Win recognize you. | ndows to |
| Email & app accounts | Learn more about Windows Hello Fingerprint | |
| Sign-in options | Add another Remove | |
| ♀, Family & other people | | |
| ∂ Sync your settings | Change | |
| | PIN You can use this PIN to sign in to Windows, are | Select Remove to remove the current fingerprint |
| | | ጵ ^ጵ 🖮 🦟 Φ)) 📰 4:34 PM 🖵 |

17. Select 'Remove' (twice) to remove the current PIN:

| 愆 Home | Sign-in options |
|--------------------------|--|
| Find a setting | Q |
| | C Password |
| Accounts | Change your account password |
| R≡ Your info | Change |
| 🖾 Email & app accounts | |
| Sign-in options | PIN Are you sure you want to remove your PIN? Having a PIN makes it easier to sign into Windows, make payments |
| Access work or school | and connect to apps and services (things like the Windows Store, social networks, and financial services). |
| A₊ Family & other people | If you're using Windows Hello, it will stop working if you remove |
| ℑ Sync your settings | your Pin. |
| | Learn how having a PIN helps keep you safe |
| | Remoty Cancel Select Remove (twice) to remove the current PIN |
| | |
| \bullet O | x ^R 📁 (i, 40) 📰 434 PM 4/23/2018 🖓 |



18. Fill in your password and select 'OK':

| ŵ Home | Sign-in options |
|--------------------------|---|
| Find a setting | ୍ର ପ୍ତୁ Password |
| Accounts | Change your account password |
| RE Your info | Windows Security X |
| 🖾 Email & app accounts | First, verify your account password. |
| 🖏 Sign-in options | |
| Access work or school | |
| A₊ Family & other people | OK Cancel |
| C Sync your settings | your PIN. |
| | Learn how having a PIN helps keep you safe |
| | Remove Cancel Fill in your password and select OK |
| | r8 🚥 (注) [三] 4:35 PM |

19. You can now add your fingerprint again by selecting 'Set up':

| ŝ | Home | Sign-in options |
|----|-----------------------|---|
| F | ind a setting ρ | C Windows Hello |
| Ac | counts | Sign in to Windows, apps and services by teaching Windows to recognize you. |
| R≣ | Your info | Learn more about Windows Hello |
| | Email & app accounts | Fingerprint |
| Q | Sign-in options | Set up 🕞 |
| Ð | Access work or school | လူ Password |
| R, | Family & other people | Change your account password |
| С | Sync your settings | Change |
| | | PIN You can now add your fingerprint again |
| | | Create a PIN to use in place of passwords. You by selecting Set up |
| | | |



20. Follow the on-screen instructions:

| | | Windows Hello setup | × | |
|---|---|--|--|---|
| Open the second seco | | Welcome to Windows He | ello | |
| Find a setting | Q | Your device just got more person entering complex passwords and to unlock your device, verify your | al. Say goodbye to I start using Windows Hello r identity, and buy things in | , |
| Accounts | | the Store using your fingerprint. | | |
| R≡ Your info | | Learn more | | |
| 🖾 Email & app accounts | | | | |
| 🔍 Sign-in options | | | | |
| Access work or school | | | | |
| R_{\star} Family & other people | | | | |
| C Sync your settings | | | | |
| | | Get started | Cancel | |
| | | | | Follow the on-screen instructions |
| | | PIN when you sign in to Window | s, apps, and services. | |
| | | | | الم |

21. Select 'Set up PIN':

| 愆 Home | | Windows Hello setup | × | |
|---------------------------------|---|---|-------------------------|----------------------------------|
| Find a setting | Q | A couple more things Create a PIN to use if Windows Hello is not availal may never need it, but it will serve as a backup jus | ble. You st in case. | |
| Accounts | | Once you set up your PIN, Windows Hello will be use. | ready to | |
| R≡ Your info | | Add another finger | | |
| 🖸 Email & app accounts | | | | |
| 🖏 Sign-in options | | | | |
| Access work or school | | | | |
| A₊ Family & other people | | | | |
| $\mathcal C$ Sync your settings | | | | |
| | | Set up PI | | |
| | | Sar ah hi | <u> </u> | Select Set up PIN |
| | | PIN when you sign in to Windows, apps, and servi | ces. | |
| |] | | RR | 第 (デ、 小)) 第 4:35 PM 4/23/2018 |



22. Fill in your password and select 'OK':

| Ø Home | Sign-in options | |
|--------------------------|---|---|
| Find a setting | C Windows Hello | |
| Accounts | Sign in to Windows, apps and services by teaching Wir | ndows to |
| R≡ Your info | Windows Security | × |
| 🖾 Email & app accounts | First, verify your account password. | |
| Sign-in options | | |
| Access work or school | OK Cancel | |
| A₊ Family & other people | Curren | |
| C Sync your settings | Change your account password | |
| | III PIN | Fill in your password and select OK |
| | Create a PIN to use in place of passwords. You not ass PIN when you sign in to Windows, apps, and services | Ked for this |
| | | x ^R 📁 (/; Ф)) 📰 4:35 PM ↓ 4/23/2018 ↓ |

23. Fill in your PIN (twice) and select 'OK':

| 🐯 Home | Sign-in options | |
|----------------------------------|---|---|
| Find a setting | > ••• Windows Hello | |
| Accounts | Windows Security Set up a PIN | × |
| R≡ Your info | Create a PIN to use in place of passwords. Having a P | IN |
| 🖾 Email & app accounts | makes it easier to sign in to your device, apps, and se | rrvices. |
| Sign-in options | | |
| Access work or school | Include letters and symbols | |
| A₊ Family & other people | | |
| C Sync your settings | OK 🔓 Cancel | |
| | III PIN | Fill in your PIN (twice) and select OK |
| | Create a PIN to use in place of passwords. You'n be as PIN when you sign in to Windows, and services | אפע זטר נוווא אפר סט |
| \Box \leftarrow \mathbf{O} | | x ^R 🗁 (?; (4)) 📰 4-33 PM 🖓 |



24. Put the device in 'Sleep mode':



25. Use your fingerprint or PIN to sign-in:





26. Done!



If you have any questions regarding our products or this manual, please feel free to contact us at support@ockelcomputers.com. We answer all questions within 48 business hours (Monday-Friday)

Wegastraat 33-35 2516 AN, Den Haag The Netherlands



